







Superman Interconnect Diagram
021278-01 B















Power Supply
Wiring Diagram
021003-01 B



Power Distribution P.C.B.
Schematic Diagram
020921-01 B



P.C.B. Interconnect and Cabinet
Wiring Diagram
021122-01 B






NOTES: UNLESSWISE SPECIFIED


1. RESISTANCE VALUES ARE IN OHMS, 1/4W, 5% CAPACITANCE VALUES ARE IN MICROFARADS.
2. ALL NPN TRANSISTORS ARE MPS-A06 WITH SELECTED f_{fe} OF 120 @ I_C 150 mA.
3. ALL PNP TRANSISTORS ARE 2N3644.
4. ALL DIODES ARE IN914.
5. ALL LEDS ARE MV5053.
6. CIRCLED NUMBERS ② ARE AT TEST CONNECTOR.




NOTICE TO ALL PERSONS RECEIVING THIS DRAWING
CONFIDENTIAL Reproduction forbidden without the specific written permission of Atari, Inc., Sunnyvale, California. This drawing is only conditionally issued, and neither receipt nor possession thereof confers or transfers any right in, or license to use, the subject matter of the drawing or any design or technical information shown thereon. No right to reproduce this drawing or any part thereof, except for manufacture by vendors of Atari, Incorporated and for manufacture under the corporation's written license, no right to reproduce this drawing is granted or the subject matter thereof unless by written agreement.




SCAN
THIS




Playfield Wiring Diagram
With Color-Coded Wires
021110-01 B



Playfield Wiring Diagram
With Color-Coded Wires
021110-01 B



Playfield Wiring Diagram
With Hot-Stamped Wires
021110-02 C



Playfield Wiring Diagram
With Hot-Stamped Wires
021110-02 C

