

IT'S A TREND!

## torque converter mini-bikes

by

# Atlas

### FOLD DOWN HANDLEBARS FOR COMPACT TRANSPORTING

We cut out the rough stuff. Atlas makes it all smooth sailing with torque converter drive. It's smooth sailing, too. Cause these Atlas Mini-Bikes are loaded with all the most important "gotta have" features.

Atlas: The Bikes with Back-Up! These bikes are solid Atlas. The back-up is Atlas, too: a solid St. Louis manufacturing firm that's been around since 1926. Great line. Easy people to do business with. Get going with Atlas now.

5500TL features lights, 12V alternator and rear lift handle.



### Specifications

#### ATLAS 5000TT and 5500TL MINI-BIKES Color: Rebel Yell-o and Chrome

Engine	4 h.p. Tecumseh. Remote stop switch. 5500TL with 12V alternator.	Seat	18-inch pad with 3 1/2 inch polyfoam pad. Ducktail type, with rolled and pleated black neoprene cover.
Throttle	Motorcycle type twist handle grip control.	Lift handle (5500TL)	Chrome plated steel.
Torque converter drive	Smooth power take-off and control for hill climbing and all other power demands.	Foot pegs	Retractable.
Sprocket ratio	12:1 low; 6:1 high.	Ignition switch	Standard. Remote stop switch.
Brake	Rear wheel disc type on sprocket with handle grip control.	Lights (5500TL)	Headlight with high-low beam. Taillight and stoplight.
Wheels	6" steel rim.	Kickstand	Standard
Flotation trail tires	5.30/4.50-6. Fully pneumatic, trail type, universal tread.	Wheelbase	36 inches
Handlebars	Fold down quick for compact storing and transporting.	Overall length	52 inches
Frame	Heavy-duty tubular welded steel.	Overall height	35 inches
Telescoping Fork	Telescoping heavy-duty 1" tubular steel.	Width at handlebars	23 1/2 inches
Fenders	Chrome plated steel front and rear.	Seat height	25 inches
Chain and torque converter cover	Deluxe fully enclosed type with name plate.	Ground clearance	7 inches
Tailpipe	Extended, chrome plated.	Gas tank capacity	2 qts.
		Weight	Approx. 91 lbs. 5500TL Approx. 89 lbs. 5000TT
		Shipping weight	Approx. 114 lbs. 5500TL Approx. 112 lbs. 5000TT

Cannot be licensed for street use.

# Atlas

ATLAS TOOL & MANUFACTURING CO., 5151 Natural Bridge Ave., St. Louis, Mo. 63115

# Atlas

3300TT

*mini-bike*



3300TT

## Specifications

### ATLAS 3300TT MINI-BIKE Color: Really Red and Chrome

Engine	3 1/2 h.p. Tecumseh.	Seat	18-inch with 3-inch polyfoam pad. Ducktail type, with smooth black neoprene cover.
Throttle	Motorcycle type twist handle grip control.	Foot pegs	Retractable.
Clutch	4" heavy-duty centrifugal.	Ignition Switch	Standard.
Drive	Chain with jack shaft.	Kickstand	Standard.
Sprocket ratio	8:1.	Wheelbase	36 inches.
Brake	Rear wheel disc type on sprocket with handgrip control.	Overall length	49 inches.
Wheels	6" steel rim.	Overall height	35 inches.
Flotation trail tires	4.10/3.50-6. Fully-pneumatic. Trail type. Universal tread.	Width at handlebars	27 inches.
Handlebars	Fold down quick for compact storing and transporting.	Seat height	26 1/2 inches.
Frame	Heavy-duty tubular welded steel.	Ground clearance	5 1/2 inches.
Fork	Telescoping heavy-duty 1" tubular steel.	Gas tank capacity	2 qts.
Fenders	Chrome plated steel front and rear.	Weight	approx. 80 lbs.
Chain guard	Deluxe chrome plated steel, enclosed type.	Shipping Weight	approx. 100 lbs.

Cannot be licensed for street use.



Fold Down Handlebars  
for compact transporting

# Atlas

ATLAS TOOL & MANUFACTURING CO., 5151 Natural Bridge Ave., St. Louis, Mo. 63115

# Atlas MB2500 Mini-Bike



## SPECIFICATIONS: ATLAS MB2500 MINI-BIKE - Color, Orange and White

Engine	2½ h.p. Tecumseh
Throttle	Motorcycle type twist handle grip control.
Clutch	4" heavy-duty centrifugal.
Drive	Chain.
Sprocket ratio	5:1
Brake	Foot-operated scrub brake
Wheels	4" steel rim.
Tires	4.10/3.50-4. Fully-pneumatic, with diamond stud big grip tread.
Frame	Heavy-duty tubular welded steel.
Fork	One-piece heavy-duty 1" tubular steel.
Chain guard	Enclosed type, painted.
Seat	16-inch padded ducktail type, with smooth black neoprene cover.
Footrest	Fixed.

Kickstand	Standard.
Wheelbase	34 inches.
Overall length	45 inches.
Overall height	34 inches.
Width at handlebars	23½ inches.
Seat height	23½ inches.
Ground clearance	5 inches.
Gas tank capacity	2 qts.
Weight	72 lbs. approx.
Shipping weight	95 lbs. approx.

Cannot be licensed for street use.

**Atlas** **ATLAS TOOL & MANUFACTURING CO.**  
5151 NATURAL BRIDGE AVE.  
ST. LOUIS, MO. 63115

# Atlas MB3000 Mini-Bike



## SPECIFICATIONS: ATLAS MB3000 MINI-BIKE - Color, Red and Chrome

Engine	3 h.p. Tecumseh.
Throttle	Motorcycle type twist handle grip control.
Clutch	4" heavy-duty centrifugal.
Drive	Chain.
Sprocket ratio	6:1
Brake	Rear wheel disc type on sprocket with handle grip control.
Wheels	6" steel rim.
Tires	4.10/3.50-6. Fully-pneumatic, with diamond stud big grip tread.
Frame	Heavy-duty tubular welded steel.
Fork	One-piece heavy-duty 1" tubular steel.
Fenders	Chrome plated steel front and rear.
Chain guard	Deluxe chrome plated steel, enclosed type.
Seat	18-inch padded ducktail type, with smooth black naugalyde cover.

Footrest	Fixed.
Ignition Switch	Standard.
Kickstand	Standard.
Wheelbase	36 inches.
Overall length	49 inches.
Overall height	35 inches.
Width at handlebars	23 1/2 inches.
Seat height	24 inches.
Ground clearance	5 1/2 inches.
Gas tank capacity	2 qts.
Weight	75 lbs. approx.
Shipping weight	98 lbs. approx.

Cannot be licensed for street use.

**Atlas** **ATLAS TOOL & MANUFACTURING CO.**  
5151 NATURAL BRIDGE AVE.  
ST. LOUIS, MO, 63115

# Atlas MB3501 Mini-Bike



## SPECIFICATIONS: ATLAS MB3501 MINI-BIKE - Color, Black and Chrome

Engine	3 1/2 h.p. Tecumseh.
Throttle	Motorcycle type twist handle grip control.
Clutch	4" heavy-duty centrifugal.
Drive	Chain with jack shaft.
Sprocket ratio	8:1.
Brake	Rear wheel disc type on sprocket with handlegrip control.
Wheels	6" steel rim.
Tires	4.10/3.50-6. Fully-pneumatic, with diamond stud big grip tread.
Frame	Heavy-duty tubular welded steel.
Fork	Telescoping heavy-duty 1" tubular steel.
Fenders	Chrome plated steel front and rear.
Chain guard	Deluxe chrome plated steel, enclosed type.
Seat	18-inch padded ducktail type, with smooth black neoprene cover.

Footrests	Retractable front and rear.
Ignition Switch	Standard.
Kickstand	Standard.
Wheelbase	36 inches.
Overall length	49 inches.
Overall height	35 inches.
Width at handlebars	23 1/2 inches.
Seat height	24 inches.
Ground clearance	5 1/2 inches.
Gas tank capacity	2 qts.
Weight	80 lbs. approx.
Shipping Weight	103 lbs. approx.

Cannot be licensed for street use.

**Atlas** **ATLAS TOOL & MANUFACTURING CO.**  
5151 NATURAL BRIDGE AVE.  
ST. LOUIS, MO. 63115

# Atlas MB3550 Mini-Bike



## SPECIFICATIONS: ATLAS MB3550 MINI-BIKE - Color, Black and Chrome

Engine	3½ h.p. Tecumseh, with alternator.
Throttle	Motorcycle type twist handle grip control.
Clutch	4" heavy-duty centrifugal
Drive	Chain with jack shaft.
Sprocket ratio	8:1
Brake	Rear wheel disc type on sprocket with handle grip control.
Wheels	16" steel rim.
Tires	4.10/3.50-6. Fully-pneumatic, with diamond stud big grip tread.
Frame	Heavy-duty tubular welded steel.
Fork	Telescoping heavy-duty 1" tubular steel.
Fenders	Chrome plated steel front and rear.
Chain guard	Deluxe chrome plated steel, enclosed type.
Seat	18-inch padded ducktail type, with smooth black noughyde cover.

Footrests	Retractable front and rear.
Ignition Switch	Standard.
Lights	Headlight, taillight and stoplight.
Kickstand	Standard.
Wheelbase	36 inches.
Overall length	49 inches.
Overall height	35 inches.
Width at handlebars	23½ inches.
Seat height	24 inches.
Ground clearance	5½ inches.
Gas tank capacity	2 qts.
Weight	81 lbs. approx.
Shipping Weight	104 lbs. approx.

Cannot be licensed for street use.

**Atlas** **ATLAS TOOL & MANUFACTURING CO.**  
5151 NATURAL BRIDGE AVE.  
ST. LOUIS, MO. 63115

# Atlas MB4000 Mini-Bike



## SPECIFICATIONS: ATLAS MB4000 MINI-BIKE - Color, Black and Chrome

Engine	4 h.p. Tecumseh.
Throttle	Motorcycle type; twist handle grip control.
Clutch	4" heavy-duty centrifugal.
Drive	Chain with jack shaft. 2-speed transmission.
Sprocket ratio	12:1 low; 6:1 high.
Brake	Rear wheel disc type on sprocket with handle grip control.
Wheels	6" steel rim.
Tires	6.30/4.50-6. Fully-pneumatic, with diamond stud big grip tread.
Frame	Heavy-duty tubular welded steel.
Fork	Telescoping heavy-duty 1 1/2" tubular steel.
Fenders	Chrome plated steel front and rear.
Chain guard	Deluxe chrome plated steel, enclosed type.
Seat	18-inch padded ducktail type, with smooth black saughyde cover.

Footrests	Retractable front and rear.
Ignition Switch	Standard.
Kickstand	Standard.
Wheelbase	36 inches.
Overall length	52 inches.
Overall height	36 inches.
Width at handlebars	23 1/2 inches.
Seat height	25 inches.
Ground clearance	7 inches.
Gas Tank capacity	2 qts.
Weight	90 lbs. approx.
Shipping weight	113 lbs. approx.

Cannot be licensed for street use.

# Atlas

**ATLAS TOOL & MANUFACTURING CO.**  
5151 NATURAL BRIDGE AVE.  
ST. LOUIS, MO. 63115



DATE: JUNE 11, 1971

**DSS-5012**

**DIRECT SHIPMENT SERVICE**



**PRODUCT:** ATLAS MINI-BIKES

**MANUFACTURER:** ATLAS TOOL & MANUFACTURING COMPANY  
5151 NATURAL BRIDGE AVENUE  
ST. LOUIS, MISSOURI 63115

**CONFIDENTIAL**

**For Sentry Program  
Dealers Only**

**SHIPPING POINT:** St. Louis, Missouri

**FREIGHT ALLOWANCE:** F.O.B. St. Louis, Missouri - Freight Collect

**TERMS:** 2% - 10 days

**MINIMUM ORDER:** One Unit

**MEMBER:** REFER TO ATLAS PRICE SCHEDULE Dated April 25, 1971  
(PLUS DSS ADDER)

**SPECIAL INFORMATION:** THESE BIKES CANNOT BE LICENSED FOR STREET USE

**SHIPPING SCHEDULE (Approx.):** Usually - prompt

**ALL ORDERS SUBJECT TO PRICES PREVAILING AT TIME OF SHIPMENT**



# Atlas

## MINI-BIKES

Form No. MBW 71  
Effective April 25, 1971

### WHOLESALE PRICE SCHEDULE

<u>Model</u>		<u>Wholesaler's Cost</u>	<u>Dealer's Cost</u>	<u>Suggested List</u>	<u>Shipping Wgt.</u>
MB2500	2½ H.P. — Automatic Clutch	\$ 82.50	\$108.50	\$144.50	95 lbs.
MB3000	3 H.P. — Automatic Clutch	102.50	136.50	182.50	98 lbs.
MB3501	3½ H.P. — Automatic Clutch	112.50	149.95	199.95	103 lbs.
MB3550	3½ H.P. — Automatic Clutch	127.50	169.95	224.95	104 lbs.
MB4000	4 H.P. — Automatic Clutch	132.50	176.50	234.95	113 lbs.
3300TT	3½ H.P. — Automatic Clutch	119.95	159.95	214.95	103 lbs.
5000TT	4 H.P. — Torque Converter	137.50	183.50	244.50	113 lbs.
5500TL	4 H.P. — Torque Converter	152.50	203.50	271.50	114 lbs.

### ACCESSORIES

		<u>Wholesaler's Cost</u>	<u>Dealer's Cost</u>	<u>Suggested List</u>
148-2AS	Spark arrestor muffler for 3 and 3½ H.P. Models	\$ 2.40	\$ 3.20	\$ 4.75
148-6AS	Spark arrestor muffler for 4 H.P. Models	2.40	3.20	4.75
149-1	Rear View Mirror	1.75	2.30	3.50

Models MB3550 and 5500TL are equipped with alternator engine, headlight with high and low beam, taillight with stoplight, as standard equipment.

THESE BIKES CANNOT BE LICENSED FOR STREET USE.

TERMS: 2% 10 Days, F.O.B. Factory, St. Louis, Missouri.

Shipment shall at all times be subject to the approval of seller's credit department.