

BIRD® 726204

Specifications

MODEL 726204

Performance

- (a) Maximum speed—30 mph
- (b) Climbing ability—30°
- (c) Minimum turning radius—48"

Engine

- (a) Maximum horsepower—4 at 3600 RPM
- (b) Displacement: 10.5 cu. inch
- (c) Special minibike engine with 20° incline
- (d) Type: 4 cycle, single cylinder
- (e) American-made Tecumseh with 10,00 authorized servicing dealers stocking parts and performing warranty.

Drive

New torque-sensing torque converter that automatically selects correct drive ratio for any terrain. Ratio 3.2:1 to 17% overdrive. Smooth and instantaneous.

Frame

Heavy duty 1 1/8" x 11 ga. tubing, precision jig welded with new motorcycle-type front and rear suspension for superior ride.

Wheels and Tires

- (a) Front—3:00 x 10 Goodyear Highlander tubeless tire mounted on 10" chrome-plated spoke wheel.
- (b) Rear—3:00 x 10 Goodyear Highlander tubeless tire mounted on 10" chrome-plated spoke wheel with foot-operated internal expansion brake.
- (c) Prelube double sealed ball bearings in both front and rear wheels.

Handlebars

Chrome-plated, fold-down for easy transporting.

Safety Features

- (a) New hand-operated stop button located on handlebar.
- (b) New U.S. Forestry approved spark arresting muffler.
- (c) New remote oil fill tube and dipstick.

Fuel Tank

Motorcycle-styled, chrome-plated, 1-gallon capacity

Fenders

Chrome-plated, full coverage, front and rear.

Seat:

- (a) Large deluxe, foam padded, two-tone vinyl covered.

Dimensions:


- Overall length—57"
- Overall width—27"
- Overall height—36"
- Wheel base—40"
- Min. ground clearance—6"
- Net weight—108#
- Shipping weight—120#

Carton size—43" x 17 3/4" x 35"

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

BIRD

®



HATCHING NEW
IDEAS FOR FUN

P.O. BOX J

FREMONT, NEBRASKA 68025



Warranty


This off-road vehicle is warranted against defects in workmanship and material for a period of 90 days from date of sale to original purchaser.

Engine is warranted by Tecumseh Products and must be handled by their authorized service dealer.

Service

BIRD has a complete repair parts program. All parts are shipped from our parts depot within 48 hours. More than a quarter-million satisfied customers.

Sold By



BIRD®

729105

Specifications

MODEL 729105

Performance

- (a) Maximum Speed—30 mph
- (b) Climbing Ability—35°
- (c) Minimum Turning Radius—48"

Engine

- (a) Maximum Horsepower—5 at 3600 RPM
- (b) 197 cc
- (c) Displacement: 12 cu. inch
- (d) Special engine with 20° incline
- (e) Type: 4 cycle, single cylinder
- (f) American-made Tecumseh with 10,000 authorized servicing dealers stocking parts and performing warranty.

Drive

New asymmetric torque-sensing torque converter that automatically selects correct drive ratio for any terrain. Ratio 3.2:1 to 17% overdrive. Smooth and instantaneous.

Frame

Heavy duty 1 1/8" x 11 ga tubing, precision jig welded.

Wheels and Tires

- (a) Front—18—8:50 x 8 Goodyear XTR low pressure high flotation tubeless tire mounted on heavy duty steel wheel.
- (b) Rear—18—9:50 x 8 Goodyear XLF sure grip, low pressure high flotation, tubeless tires mounted on heavy duty steel wheel.
- (c) Prelube double sealed ball bearings in both front and rear wheels.

Handlebars

Chrome-plated, fold-down for easy transporting.

Safety Features

- (a) New hand-operated stop button located on handlebars.
- (b) New U. S. Forestry approved spark-arresting muffler.
- (c) New remote oil fill tube and dipstick.

Fuel Tank

Motorcycle-styled—1-gallon capacity

Fenders

Heavy duty steel, full coverage, front and rear.

Seat


Large deluxe foam padded, vinyl covered. Extremely durable and comfortable.

Dimensions

- Overall length—60"
- Overall width—28 1/2"
- Overall height—40"
- Wheel base—41 1/2"
- Minimum ground clearance—8"
- Shipping weight—158#
- Carton size—46" x 18" x 36"

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE


BIRD



HATCHING NEW
IDEAS FOR FUN

P.O. BOX J

FREMONT, NEBRASKA 68025



Warranty


This off-road vehicle is warranted against defects in workmanship and material for a period of 90 days from date of sale to original purchaser.

Engine is warranted by Tecumseh Products and must be handled by their authorized service dealer.

Service

BIRD has a complete repair parts program. All parts are shipped from our parts depot within 48 hours. More than a quarter-million satisfied customers.

Sold By



BIRD[®] 728404

Specifications

MODEL 728404

Performance

- (a) Maximum speed — 26 mph
- (b) Climbing ability — 30°
- (c) Minimum turning radius — 39"

Engine

- (a) Maximum horsepower — 4 at 3600 RPM
- (b) Displacement: 10.5 cu. inch
- (c) Special minibike engine
- (d) Type: 4 cycle, single cylinder
- (e) American-made Tecumseh with 10,000 authorized servicing dealers stocking parts and performing warranty.

Drive

New torque-sensing torque converter that automatically selects correct drive ratio for any terrain — ratio 3.2:1 to 17% overdrive. Smooth and instantaneous.

Frame

Heavy duty 1" x 11 ga tubing, precision jig welded with front and rear suspension for superior ride.

Wheels and Tires

- (a) Front—4:10—3:50 x 6 Goodyear tubeless stud tire mounted on 6" steel wheel — painted white.
- (b) Rear—4:10—3:50 x 6 Goodyear tubeless stud tire mounted on 6" steel wheel with 60-tooth sprocket—painted white.
- (c) Foot-operated cam action brake.
- (d) Prelube double sealed ball bearings in both front and rear wheels.

Handlebars

Chrome-plated, fold-down type for easy transporting.

Safety Features

- (a) New hand-operated stop button located on handlebar.
- (b) New U.S. Forestry approved spark arresting muffler.
- (c) New remote oil fill tube and dipstick.
- (d) New BIRD exclusive kickstand. Raises rear wheel and prevents run-away starts.

Fuel Tank

2-quart capacity, engine mounted.

Fenders

Chrome-plated, full coverage, front and rear.

Seat:

Deluxe two-tone vinyl, foam padded.


Dimensions:

- Overall length—49"
- Overall width—27"
- Overall height—35"
- Wheel base—36"
- Min. ground clearance—4 5/8"
- Net weight—105#
- Shipping weight—115#
- Carton size—40" x 16 1/2" x 28 1/2"

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

BIRD

®



HATCHING NEW
IDEAS FOR FUN

P.O. BOX J

FREMONT, NEBRASKA 68025



Warranty


This off-road vehicle is warranted against defects in workmanship and material for a period of 90 days from date of sale to original purchaser.

Engine is warranted by Tecumseh Products and must be handled by their authorized service dealer.

Service

BIRD has a complete repair parts program. All parts are shipped from our parts depot within 48 hours. More than a quarter-million satisfied customers.

Sold By



BIRD[®] 728103

Specifications

MODEL 728103 EXCELLENT MODEL FOR BEGINNERS

Performance

- (a) Maximum speed—20 mph
- (b) Climbing ability—25°
- (c) Minimum turning radius—45"

Engine

- (a) Maximum horsepower—3½ at 3600 RPM
- (b) Displacement: 9.05 cu. inch
- (c) Special minibike engine
- (d) Type: 4 cycle, single cylinder
- (e) American-made Tecumseh with 10,000 authorized servicing dealers stocking parts and performing warranty.

Drive

Fully automatic centrifugal clutch

Frame

Precision jig welded, twin heavy duty cold drawn tubing with reinforcing plates for safety.

Wheels and Tires

- (a) Front—4:10—3:50 x 6 Goodyear tubeless stud tire mounted on 6" steel wheel—painted white.
- (b) Rear—4:10—3:50 x 6 Goodyear tubeless stud tire mounted on 6" steel wheel with 72-tooth sprocket—painted white.
- (c) Foot-operated cam action brake
- (d) Prelube double sealed ball bearings in both front and rear wheels.

Handlebars

Rigid, high-rise, chrome-plated

Safety Features

- (a) New hand-operated stop button located on handlebar.
- (b) New BIRD exclusive kickstand. Raises rear wheel and prevents run-away starts.
- (c) New remote oil fill tube and dipstick.

Fuel Tank

2-quart capacity, engine mounted.

Fenders

Painted with racing stripes.

Seat:

Wedge type—two-tone vinyl, foam padded.


Dimensions:

- Overall length—47"
- Overall width—21"
- Overall height—36"
- Wheel base—35"
- Min. ground clearance—4¼"
- Net weight—74#
- Shipping weight—84#
- Carton size—39½" x 14½" x 24"

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

BIRD


®



HATCHING NEW
IDEAS FOR FUN

P.O. BOX J

FREMONT, NEBRASKA 68025



Warranty


This off-road vehicle is warranted against defects in workmanship and material for a period of 90 days from date of sale to original purchaser.

Engine is warranted by Tecumseh Products and must be handled by their authorized service dealer.

Service

BIRD has a complete repair parts program. All parts are shipped from our parts depot within 48 hours. More than a quarter-million satisfied customers.

Sold By



BIRD® 727103

Specifications

MODEL 727103

Performance

- (a) Maximum speed — 20 mph
- (b) Minimum turning radius — 42"
- (c) Minimum clearance — 2 5/8"

Engine

- (a) Maximum horsepower — 3½ at 3600 RPM
- (b) Displacement: 9.05 cu. inch
- (c) Type: 4 cycle, single cylinder
- (d) American-made Tecumseh with 10,000 authorized servicing dealers stocking parts and performing warranty.

Drive

- (a) Fully automatic centrifugal clutch.
- (b) Automotive-type differential for excellent traction and short turning.

Frame

Precision jig welded heavy duty cold drawn tubing reinforced in all critical areas.

Wheels and Tires

- (a) Front—3:40—3:00 x 5 Goodyear tubeless super rib tire mounted on 5" steel wheel—painted white.
- (b) Rear—13—5:00 x 6 Goodyear tubeless terra tread tires mounted on 6" wheels with chrome-plated hub caps.
- (c) Pre-lube double sealed ball bearings on front and rear wheels.

Safety Features

- (a) New hand-operated stop button located on handlebar.
- (b) New remote oil fill tube and dipstick.
- (c) Ideal beginners' unit with 3-wheel safety.
- (d) Dual band brakes, hand operated.

Handlebars

Rigid, painted.

Fuel Tank

2-quart capacity, engine mounted.

Styling:

- (a) New mini three-wheeler styling for the youngest rider (just like the big ones) for off-road fun.
- (b) Smartly styled fiberglass body which serves as rear fenders and shields the driving mechanism.
- (c) Bucket-type seat—deep cushioned, vinyl covered, bottom and back.
- (d) Fold-up foot pegs


Dimensions:

Overall length—62"
Overall width—33"
Overall height—28"
Wheel base—42"
Min. ground clearance—2"
Net weight—104#
Shipping weight—120#
Carton size—35¼ x 31½ x 38½"

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

BIRD


®



HATCHING NEW
IDEAS FOR FUN

P.O. BOX J

FREMONT, NEBRASKA 68025



Warranty


This off-road vehicle is warranted against defects in workmanship and material for a period of 90 days from date of sale to original purchaser.

Engine is warranted by Tecumseh Products and must be handled by their authorized service dealer.

Service

BIRD has a complete repair parts program. All parts are shipped from our parts depot within 48 hours. More than a quarter-million satisfied customers.


Sold By



715202



715102



BIRD®

Specifications

MODEL 715102 AND MODEL 715202

Both Models as Follows:

1. Engine
 - (a) Maximum horsepower—2½ at 3600 rpm
 - (b) Displacement: 7.75 cu. in.
 - (c) Type: 4 cycle, single cylinder
 - (d) American-made Tecumseh with 10,000 authorized servicing dealers stocking parts and performing warranty.
2. Drive—Fully automatic centrifugal clutch, foot-operated throttle
3. Frame—Precision jig welded heavy duty cold drawn tubing reinforced in all critical areas
4. Automobile-type steering wheel
5. Safety Features
 - (a) Front bumper
 - (b) New clutch guard
 - (c) New remote oil fill tube with dipstick
6. Fuel tank—2-quart capacity, engine mounted

MODEL 715102—SINGLE SEAT KART

Performance

- (a) Maximum speed—20 mph
- (b) Minimum turning radius—128"

Wheels and Tires

- (a) Front—3:40—3:00 x 5 Goodyear tubeless super rib tires mounted on 5" steel wheels painted white.
- (b) Rear 4:10-3:50x5 Goodyear tubeless stud tires mounted on 5" steel wheels, painted white, rear drive wheel has 60-tooth sprocket
- (c) Foot operated cam action brake
- (d) Prelube double sealed ball bearings on front and rear wheels

Seat: Bucket-type, foam padded, vinyl covered bottom and back

Dimensions:

- Overall length—61"
Overall width—36"
Overall height—21"
Wheel base—44"
Min. Ground Clearance—1 3/4"
Net weight—112#
Shipping weight—127#
Carton size—37" x 23" x 64"

MODEL 715202—DOUBLE SEAT KART

Performance

- (a) Maximum speed—17 mph
- (b) Minimum turning radius—105"

Wheels and Tires

- (a) Front—3:40—3:00 x 5 Goodyear tubeless super rib tires mounted on 5" steel wheels, painted white
- (b) Rear—4:10—3:50 x 5 Goodyear tubeless stud tires mounted on 5" steel wheels, painted white, rear drive wheel has 72-tooth sprocket
- (c) Foot-operated cam action brake
- (d) Prelube double sealed ball bearings on front and rear wheels


Seat: Double bench-type, foam padded, vinyl covered bottom and back

Dimensions:

- Overall length: 64"
Overall width—36"
Overall height—26"
Wheel base—48"
Min. Ground Clearance—3¼"
Net weight—126#
Shipping weight—141#
Carton size—37" x 23" x 64"

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE

BIRD



HATCHING NEW
IDEAS FOR FUN

P.O. BOX J
FREMONT, NEBRASKA 68025



Warranty

This off-road vehicle is warranted against defects in workmanship and material for a period of 90 days from date of sale to original purchaser. Engine is warranted by Tecumseh Products and must be handled by their authorized service dealer.

Service

BIRD has a complete repair parts program. All parts are shipped from our parts depot within 48 hours. More than a quarter-million satisfied customers.

Sold By