

RUTTMAN COMPANY 24732 FORD ROAD DEARBORN HTS., MICH.



MAIL ORDERS TO: RUTTMAN COMPANY

24732 Ford Road

Dearborn Hts., Michigan 48127

PHONE: (area code 313) 278 - 5093

BUSINESS HOURS: 9 A.M. to 6 P.M. Monday thru Saturday. Closed Sunday & Holidays.

WHEN ORDERING: Please print your name, address, city, state and zip code. Be sure to print legibly or type - so we won't send your stuff to someone else.

TERMS AND POLICY

PAYMENT: 50% deposit or send full amount and save C.O.D. charges. Minimum order \$1.00. Orders under \$5.00 must be paid in advance, plus 50¢ for postage and handling. Send money order or cashier check only – we can not accept personal checks. Sorry, we can not extend credit or open accounts.

SPECIAL HANDLING: (Ships with first class mail) add 50¢ per package.

SALES TAX: Add 4% sales tax to total price of all orders to be received in Michigan.

WE PAY FREIGHT: Paid in advance orders OVER \$5.00 are shipped pre-paid except below.

YOU PAY FREIGHT: Orders under \$5.00 - Air or other special handling - C.O.D. shipments. Axles, oils, frames and any special offer or dealer sale.

FOREIGN COUNTRIES: Irrevocable payment in advance, including estimated freight charges.

DEALER TERMS: C.O.D. net. All orders will be shipped C.O.D. unless payment is received with order or prior arrangements have been made for an open account.

DAMAGED GOODS: Title to merchandise passes to customer on delivery to carrier. Claims due to damage or pilferage must be reported immediately to delivering carrier for settlement. We package merchandise so that it should arrive in good condition, however, the way it is handled in transit is beyond our control.

RETURNS: Write for instructions FIRST, before returning any merchandise. Advise reason for wanting to return and give billing (invoice) number and date of purchase. Any defect in material or workmanship will be replaced to your complete satisfaction, provided you WRITE FIRST. Where the fault is not ours, we reserve the right to deduct a 10% charge for our cost of handling. No cash refund on returned goods. We are not responsible for unauthorized returns.



Dearborn Hts., Michig



HORNY TOA **MODEL 140**

HANDLEBAR HEIGHT: 30 1/2" HANDLEBAR WIDTH: 24"

SEAT HEIGHT: 21"

OVERALL LENGTH: 42"

GROUND CLEARANCE: 2 1/2"

WEIGHT: 66 lbs.

ENGINE: 3 H.P. @ 3600 RPM BRAKE: Positive, Hand Operated

CLUTCH: Centrifugal Torque - Automatic

FRAME: 7/8" High Yield Tubing WHEELS: 4" Steel Demountable

TIRES: 4.10/3.50x4 - 10" Semi-knobby

FOOT RESTS: Plated Fold-up

GEAR RATIO: 5.5 to 1

THROTTLE: Motorcycle Type - GT Grips FINISH: Bonderized High Gloss Enamel CLUTCH GUARD: Standard - Chrome

SEAT: 14" Standard

KICKSTAND: Integral Folding Sidestand

The RUTTMAN TOAD is fully assembled and ready to ride - just add oil and gas.



RUTTMAN

24732 Ford Road

Dearborn Hts., Michigan 48127



YULTUREMODEL 240

HANDLEBAR HEIGHT: 30 1/2"
HANDLEBAR WIDTH: 24"
SEAT HEIGHT: 21"
OVERALL LENGTH: 42"
GROUND CLEARANCE: 2 1/2"
WEIGHT: 68 lbs.

ENGINE: 4 H.P. @ 3600 RPM BRAKE: Positive, Hand Operated

CLUTCH: Centrifugal Torque - Automatic

FRAME: 7/8" High Yield Tubing WHEELS: 4" Steel Demountable

TIRES: 4.10/3.50x4 - 10" Semi-knobby

FOOT RESTS: Plated Fold-up

GEAR RATIO: 5.5 to 1

THROTTLE: Motorcycle Type - GT Grips FINISH: Bonderized High Gloss Enamel CLUTCH GUARD: Standard - Chrome

SEAT: 19" Deluxe

FENDERS: Steel - Chrome

KICKSTAND: Integral Folding Sidestand

The RUTTMAN VULTURE is fully assembled and ready to ride - just add oil and gas.



RUTTMAN

24732 Ford Road

Dearborn Hts., Michigan 48127



WILD GOOSE MODEL 250

HANDLEBAR HEIGHT: 31" HANDLEBAR WIDTH: 24" SEAT HEIGHT: 21 1/2" OVERALL LENGTH: 43" GROUND CLEARANCE: 3" WEIGHT: 69 lbs. ENGINE: 4 H.P. @ 3600 RPM
BRAKE: Positive, Hand Operated
CLUTCH: Centrifugal Torque - Automatic
FRAME: 7/8" High Yield Tubing
WHEELS: 5" Mag Style Aluminum
TIRES: 4.10/3.50x5 - 11" Semi-knobby
FOOT RESTS: Plated Fold-up
GEAR RATIO: 5.5 to 1
THROTTLE: Motorcycle Type - GT Grips
FINISH: Bonderized High Gloss Enamel
CLUTCH GUARD: Standard - Chrome
SEAT: 19" Deluxw SEAT: 19" Deluxe
FENDERS: Steel - Chrome
KICKSTAND: Integral Folding Sidestand

The RUTTMAN WILD GOOSE is fully assembled and ready to ride - just add oil and gas.





SPYDER MODEL 256S

HANDLEBAR HEIGHT: 33 1/2" HANDLEBAR WIDTH: 23" SEAT HEIGHT: 22 1/2" OVERALL LENGTH: 46" GROUND CLEARANCE: 4 1/4" WEIGHT: 75 lbs.

BRAKE: Positive, Hand Operated

CLUTCH: Centrifugal Torque - Automatic

FRAME: 7/8" High Yield Tubing WHEELS: 6" Mag Style Aluminum

TIRES: 4.10/3.50x6 -12 1/2" Semi-knobby

FRONT SUSPENSION: External Spring Telescopic

FOOT RESTS: Plated Fold-up

GEAR RATIO: 5.8 to 1

THROTTLE: Motorcycle Type - GT Grips FINISH: Bonderized High Gloss Enamel CLUTCH GUARD: Standard - Chrome

SEAT: 19" Deluxe

FENDERS: Steel - Chrome

HANDLEBARS: Chrome - Adjustable KICKSTAND: Integral Folding Sidestand

The RUTTMAN SPYDER is fully assembled and ready to ride - just add oil and gas.



RUTTMAN

24732 Ford Road

earborn Hts., Michigan 48127



GRASSHOPPER MODEL 260

HANDLEBAR HEIGHT: 40"
HANDLEBAR WIDTH: 18"
SEAT HEIGHT: 20"
OVERALL LENGTH: 59"
GROUND CLEARANCE: 5 1/4"
WEIGHT: 86 lbs.

ENGINE: 4 H.P. @ 3600 RPM
BRAKE: Positive, Hand Operated
CLUTCH: Centrifugal Torque – Automatic
FRAME: 7/8" High Yield Tubing
WHEELS: 6" Mag Style Aluminum
TIRES: Front: 4.10/3.50x6; Rear: 4.00-6
FOOT RESTS: Plated Fold-up
GEAR RATIO: 5.8 to 1
THROTTLE: Motorcycle Type – GT Grips
FINISH: Bonderized High Gloss Enamel
CHAIN GUARD: Deluxe Chrome
SEAT: Deluxe Contoured High Back
REAR SUSPENSION: External Spring Shocks
KICKSTAND: Integral Folding Sidestand

The RUTTMAN GRASSHOPPER is fully assembled and ready to ride - just add oil and gas.





PAK MULE

MODEL 660 MODEL 660VS

HANDLEBAR HEIGHT: 36" HANDLEBAR WIDTH: 24" SEAT HEIGHT: 24" OVERALL LENGTH: 54" GROUND CLEARANCE: 5 1/4" WEIGHT: 105 lbs.

BRAKE: Positive, Hand Operated

CLUTCH: Model 660: Centrifugal Torque - Automatic Model 660VS: Variable Speed Torque Converter

FRAME: 7/8" High Yield Tubing WHEELS: 6" Steel - Wide Profile TIRES: 15/5.00-6 Semi-knobby

FRONT SUSPENSION: External Spring Telescopic FOOT RESTS: Front and Rear Plated Fold-up

GEAR RATIO: 7.2 to 1 via Jackshaft THROTTLE: Motorcycle Type - GT Grips FINISH: Bonderized High Gloss Enamel

CHAIN GUARD: Large Painted SEAT: 24" Deluxe - Extra Thick FENDERS: Large Steel - Chrome

HANDLEBARS: Large Chromed - Adjustable KICKSTAND: Integral Folding Sidestand

The RUTTMAN PAK MULE is fully assembled and ready to ride - just add oil and gas.



RUTTIN

24732 Ford Road

minibikes

Dearborn Hts., Michigan 48127

ROLLER CHAIN

HIGH QUALITY NOS. 35,40, & 41 CHAIN



Pitch

Width

Part no.

#35 Chain

3/8"

3/16"

RC101

#40 Chain

1/2"

5/16"


RC102

#41 Chain

1/2"

1/4" RC103

COTTER TYPE CONNECTING LINK



Positive locking link for high speed or racing.

#35 ONLY Part no.

no. RC104

SPRING CLIP CONNECTING LINK



#35 Part no. RC105

#40 Part no. RC106

#41 Part no. RC107

ONE PITCH OFFSET LINK



#35 Part no. RC108

#40 Part no. RC109

#41 Part no. RC110

ROLLER LINK



#35 Part no. RC111

#40 Part no. RC112

#41 Part no. RC113

CHAIN LINK EXTRACTOR

A HANDY TOOL TO REMOVE AND REPLACE PINS IN CHAIN LINKS

This light weight chain breaker is used for rapid disassembling of chain sizes #35, #40 and #41 without damage to pins or side plates. The punch is made of tool steel and heat treated.

CHAIN LINK EXTRACTOR

Replacement punch only


Part no. RC114

minibikes

Dearborn Hts., Michigan 48127


SPROCKETS

FLAT SPROCKET FOR NO. 35 CHAIN



		No. of teeth	Part no.
Α	Six 3/8" dia. bolt holes	70	RC116
В	6 3/8" dia. bolt circle	72	RC117
	e of a did. Son chele	74	RC118
С	5" bore	76	RC119
		78	RC120

60 TOOTH FLAT SPROCKET FOR NO. 35 CHAIN




- A Four 3/8" dia. bolt holes
- B 2 3/16" dia. bolt circle
- C Four 5/16" dia. bolt holes
- D 3 7/16" dia. bolt circle
- E 1 3/8" dia. bearing hole

Part no. RC121

SPROCKETS - 5/8" BORE WITH SETSCREW AND 3/16" KEYWAY


For no. 35 and no. 41 chain.



No. of teeth	#35 Part no.	#41 Part no.
10	RC122	RC133
11	RC123	RC134
12	RC124	RC135
13	RC125	RC136
14	RC126	RC137
15	RC127	RC138
16	RC128	RC139
17	RC129	RC140
18	RC130	RC141
19	RC131	RC142
20	RC132	RC143




Control Levers



BRAKE OR CLUTCH LEVER

Standard chrome mini-bike lever. Fits all 7/8" handlebars.


RC144 Part no.



BRAKE OR CLUTCH LEVER

Deluxe chrome ball end lever. Fits all 7/8" handlebars.

> Part no. RC145




BRAKE OR CLUTCH LEVER

Deluxe chrome ball end lever with cable adjuster. Fits all 7/8" handlebars. Part no. RC146

STANDARD BRAKE CABLES WITH BARREL ENDS

Will fit most mini-bike controls.




CABLE ANCHOR

For brake or throttle cables.



THROTTLE RETURN SPRING



RC151 Part no.




RUTTMAN

24732 Ford Road

Dearborn Hts., Michigan 48127

Twist Grip Sets




Standard grips, chrome plated metal head, tension adjuster screw, threaded cable stop. Fits all 7/8" handlebars.

Throttle set with dummy grip

Part no. RC152

Throttle only Part no. RC153

Dummy grip only Part no. RC154



Scrambler hand grip set (pair)

Part no. RC350


Scrambler grips, chrome plated metal head, tension adjuster screw, threaded cable stop. Fits all 7/8" handlebars.

Throttle set with dummy grip

Part no. RC155

Throttle only Part no. RC156

Dummy grip only Part no. RC157



Deluxe trail hand grip set (pair)

Part no. RC351

Deluxe trail grips, chrome plated metal head, tension adjuster screw, threaded cable stop. Fits all 7/8" handlebars.

Throttle set with dummy grip


Part no. RC158

Throttle only Part no. RC159

Dummy grip only Part no. RC160

STANDARD THROTTLE CABLES WITH 3/16" BALL END

Will fit most mini-bike controls and all of the above.



Order by housing length "A".

42" Length Part no.

60" Length

Part no. RC162

RC161



RUTTMAN Bikes

Phone: 313 - 278 - 5093


24732 Ford Road

Dearborn Hts., Michigan 48127

RC164

SHOCKS

- ★ HEAVY CHROMED SPRINGS!
- **★** RUBBER MOUNTED BUSHINGS!
- DURABLE GLOSS-BLACK DAMPER CYLINDERS!




Part no. RC163

FOLDING FOOT PEGS

For safety's sake, remove those rods that could dig into the ground when banking and replace them with these quality fold up foot pegs.

COMPLETE KIT Part no.




Item no.	Part no.	Description
1	RC165	Foot peg
2	RC166	Weld-on bracket
3	RC167	1/4" Bolt, 1 1/2" long
4	RC168	1/4" Locknut

COMBINATION KICKSTAND & FOLD UP FOOT PEGS


This combination of a folding kickstand and rubber covered fold up foot rests is a practical accessory that can be adapted to most popular mini-bikes.

Part no. RC169



FOLDING KICKSTANDS

Bright zinc plate finish, will fit most mini-bikes.





RUTTMAN


24732 Ford Road

minibikes

Dearborn Hts., Michigan 48127

CHROMED STEEL FENDERS


HIGH QUALITY, CHROME STAMPED STEEL FENDERS. WILL FIT MANY POPULAR MINI-BIKES.



T		-	
B		comen	
		DOM 63	
1	77,678	-	

"A"	"B"	"C"
6"	2"	4 1/8"
6 3/4"	2"	4 1/8"
7 5/8"	3 3/8"	6"
	6" 6 3/4"	6" 2" 6 3/4" 2"

TOP QUALITY MINI BIKE SEATS



STANDARD MINI-BIKE SEAT. Heavy duty pleated black vinyl seat with white metal flake panels has 1/2" thick mounting base, radiused corners and is tapered front to back. Seat is 8" wide, 12" long, 3" thick and has a kick-up at the back.

Part no. RC176

DELUXE SEAT. Heavy duty pleated black vinyl seat with white metal flake panels has 1/2" thick mounting base, radiused corners and is tapered front to back. Seat is 8" wide, 16" long and 3" thick with a kick-up at the back.



Part no. RC177



EXTRA LONG SEAT. Heavy duty pleated black vinyl seat has 1/2" thick mounting base, radiused corners and is tapered front to back. Seat is 9" wide, 24" long and 3 1/2" thick with a kick-up at the back.

Part no. RC178

CHOPPER STYLE SEAT. Deluxe custom seat is made of heavy duty black vinyl and quality rebound foam. Seat has contoured stamped metal mounting base and is 7" wide, 13" long and 19" high with a 2 1/2" thick seat and backrest. This seat is used on all RUTTMAN "GRASSHOPPERS" and may also be adapted to other mini-bikes.







24732 Ford Road


minibikes

Dearborn Hts., Michigan 48127

SEALED BEARINGS


STANDARD SEALED BALL BEARINGS WITH SHOULDER






Part no. RC180

PRECISION GROUND SEALED BALL BEARINGS





Bearing with snap ring
Part no. RC181


Bearing only

Part no. RC182

Snap ring only


Part no. RC183

5/8" BOLTS FOR AXLE OR FORK



Length "A" Thread Part no.
7" 5/8-18 RC184
8 1/2" 5/8-11 RC185

5/8" LOCKNUTS



Thread Part no.

5/8-18 RC186

5/8-11 RC215

CLUTCH KEYS

3/16" x 3/16" Standard square keys




Will fit all 3/16" full keyway shafts on American made mini-bike engines.

Part no. RC187

FORK NECK BUSHINGS

Replacement brass bushings on some mini-bikes.








Dearborn Hts., Michigan





SNAP-ON BUBBLE SHIELD cuts drag and turbulence to reduce rider fatigue. Dual snaps permit use with or without a separate sun visor.

Part no. RC189 Specify color: Clear, Smoke, Blue, Amber, Yellow, Green.

- SNAP-ON COMP SHIELD offers protection against rocks, dirt and other flying objects during competition or hard riding. It can be used with or without a separate sun visor. Part no. RC190 Specify color: Clear, Smoke, Blue, Amber, Yellow.
- C. FLIP-UP BUBBLE SHIELD with adapter conveniently flips over helmet at a touch. Part no. RC191 Specify color: Clear, Smoke, Blue, Amber, Yellow.
- D. FLIP-UP COMP SHIELD with adapter conveniently flips out of the way. Part no. RC192 Specify color: Clear, Smoke, Blue, Amber, Yellow.
- BUBBLE GOGGLES made of quality optical plastic and curved to fit the contour of the face offer maximum visibility and protection.

Part no. RC193

Specify color: Clear, Lt. Blue, Lt. Green, Green, Lt. Amber, Amber.

WINDSHIELD

Heavy duty plastic. Provides protection from wind and dust. Fits most any mini-bike and some small motorcycles. Ready to bolt on. Size: 13" wide, 19" high.



BUGLE BULB HORN



Fits all handlebars

Part no. RC195

CHROME REAR VIEW MIRROR

Adds the safety of rear vision. Fits all handlebars.



Part no. RC196







Dearborn Hts., Michigan 48127

STANDARD MINI-BIKE FORK

THIS IS A STANDARD REPLACEMENT FORK FOR ALL RUTTMAN MINI-BIKES AND WILL ALSO FIT SOME OF THE OTHER SMALL BIKES USING A 5/8" FORK BOLT.

OVERALL LENGTH IS 26", HANDLEBAR WIDTH IS 24", DISTANCE BETWEEN FORK PLATES IS 5 7/8" AND DISTANCE BETWEEN THE LOWER ENDS OF THE FORK TUBES IS 5 7/8".

THIS FORK IS MADE OF 7/8" HIGH YIELD TUBING AND IS FULLY WELDED.

READY TO PAINT - FOR 4" WHEEL

Part no. RC197

READY TO PAINT - FOR 5" & 6" WHEELS Part no.

RC198



STANDARD MINI-BIKE FRAME

THIS IS A STANDARD REPLACEMENT FRAME FOR ALL RUTTMAN MINI-BIKES AND WILL ALSO FIT THE COMPONENT PARTS OF OTHER SMALL MINI-BIKES.

OVERALL LENGTH IS 29", HEIGHT IS 15", WIDTH IS 8", FORK NECK IS 5 7/8" LONG AND THE DISTANCE BETWEEN THE AXLE BRACKETS IS 6".

THIS FRAME IS MADE OF 7/8" HIGH YIELD TUBING, IS FULLY WELDED AND HAS BRACKETS FOR FOOT PEGS (USES FOOT PEG NO. RC165).

READY TO PAINT - FOR 4" WHEEL

RC199 Part no.

READY TO PAINT - FOR 5" & 6" WHEELS

RC200 Part no.




RUTTMAN PAK MULE FRAME

LARGE HEAVY DUTY TRAIL BIKE FRAME FOR RUGGED USE. IT WILL ACCOMODATE TWO PASSENGERS AND CAN BE USED WITH A JACKSHAFT OR TRANSMISSION.

OVERALL LENGTH IS 34", HEIGHT IS 15", WIDTH IS 10", FORK NECK IS 5 7/8" LONG AND THE DISTANCE BETWEEN THE AXLE BRACKETS IS 8".


FRAME IS MADE OF 7/8" HIGH YIELD TUBING, IS FULLY WELDED AND HAS BRACKETS FOR FRONT AND REAR FOLD-UP FOOTRESTS (USES FOOT PEG NO. RC165).



READY TO PAINT FRAME



UNIVERSAL CHROME HANDLEBARS



STANDARD STYLE CHROME HANDLEBARS WILL FIT OR CAN BE ADAPTED TO MOST SMALL MINI-BIKE FORKS.

STANDARD HANDLEBARS

Part no. RC202

WIDE STYLE CHROME HANDLEBARS, WITH THE POPULAR SWEPT BACK LOOK, WILL FIT OR CAN BE ADAPTED TO MOST OF THE VARIOUS SIZE AND TYPE MINI-BIKES.

WIDE HANDLEBARS

Part no.

R C 203

UNIVERSAL HANDLEBAR CLAMPS

WILL FIT ALL 7/8" DIA. HANDLEBARS

(1) CLAMP


Part no. RC204

(2) 3/8"-24 BOLT

Part no. RC205


(3)3/8"-24 NUT

Part no. RC206



SUSPENSION FORK

THE FORK IS READY TO PAINT AND HAS CHROME SPRINGS AND BRIGHT, PLATED FORK TUBES.



(1) STANDARD FORK WIDE FORK

Part no. RC209

Part no. RC210


(2) SPRING

Part no. RC344

(3) FORK TUBE

Part no. RC336

THIS HEAVY DUTY SUSPENSION FORK COMES IN TWO SIZES AND FITS OR CAN BE ADAPTED TO MOST OF THE POPULAR MINI-BIKES.



Part no.

Dim. "A"

"B"

"C"

"D"

STANDARD FORK KIT WIDE FORK KIT

RC207 17 1/2" 5 7/8" 5 7/8" 1 7/16"

17 1/2" 8 1/4" 6 1/8" 2 3/8" RC208



Dearborn Hts., Michigan 48127


BAND BRAKE KIT

A BOLT-ON BRAKE THAT WILL FIT MANY POPULAR MINI-BIKES

SIMPLE INSTALLATION REQUIRES NO SPECIAL TOOLS

THIS COMBINATION BAND BRAKE AND CLUTCH GUARD IS THE SAME AS THE ONE USED ON RUTTMAN MINI-BIKES. THIS BAND BRAKE IS LONG WEARING, EASILY ADJUSTABLE AND VIRTUALLY MAINTENANCE-FREE.

COMPLETE BAND BRAKE KIT



Item	Part no.	Description	Quantity
1	RC212	MOUNTING BRACKET	1
2	RC213	5/16"-24×1/2" BOLT	2
3	RC214	BRAKE BAND ASSEMBLY	1
4	RC206	3/8"-24 NUT	2
5	RC216	BRAKE CABLE ASSEMBLY	1
6	RC217	RETURN SPRING	
7	RC218	BRAKE PIN	1
8	RC150	CABLE ANCHOR	1
9	RC219	BRAKE LEVER	1
10	RC220	CLUTCH GUARD	1
. 11	RC221	WASHER HEAD CAPSCREW	2




RUTTMAN SKI-TRAC

CONVERSION KIT FOR MOST POPULAR MINI-BIKES USING 5/8" FRONT AXLES


ALL THE FUN OF A SNOWMOBILE

JUST REMOVE THE FRONT WHEEL, BOLT ON THE SKI-TRAC AND GO



SIMPLE INSTALLATION
NEEDS NO SPECIAL TOOLS





KIT CONTAINS PAINTED SKI AND SPACERS

SKI-TRAC KIT Part no. RC222

(1) SKI ONLY Part no. RC223

(2) SPACER ONLY Part no. RC224



CHOPPER FORK

STANDARD REPLACEMENT PART FOR RUTTMAN "GRASSHOPPER".

LONG, BIG BIKE, SPRINGER STYLE FORK ASSEMBLY WITH HIGH RISER HANDLEBARS AND CHROME STRUTS.

WILL ADAPT TO MOST OF THE POPULAR MINI-BIKE WHEELS.

12" HIGH HANDLEBARS

44" OVERALL LENGTH

FORK IS MADE OF 7/8" HIGH YIELD TUBING, FULLY WELDED AND READY TO GO.

CHROME FORK

Part no. RC225

UNCHROMED FORK

Part no. RC226

CHOPPER FRAME

STANDARD REPLACEMENT PART FOR RUTTMAN "GRASSHOPPER".

LOW SLUNG FRAME HAS A 5 7/8" LONG FORK NECK SET UP FOR A 46 DEGREE RAKE, GAS TANK BRACKETS FOR USE WITH CAN TYPE FUELER TANKS, SEAT PIVOT BRACKETS AND BRACKETS FOR FOLD-UP FOOTRESTS (USES FOOT PEG NO. RC165).

FRAME IS MADE OF 7/8" HIGH YIELD TUBING AND IS FULLY WELDED.

READY TO PAINT FRAME ASSEMBLY Part no.

COMBINATION SEAT FRAME AND SISSY BAR

STANDARD REPLACEMENT PART FOR RUTTMAN "GRASSHOPPER".


HIGH RISE SISSY BAR AND SEAT FRAME COMBINATION WITH PIVOT BRACKETS AND SHOCK ABSORBER MOUNTS.

MADE OF 7/8" HIGH YIELD TUBING AND FULLY WELDED.

CHROME ASSEMBLY

Part no. RC228

UNCHROMED ASSEMBLY





CHOPPER FORK KIT


READY TO WELD


CHOPPER STYLE FORK IS AVAILABLE AS A KIT OR IN SEPARATE PARTS TO CUSTOMIZE YOUR OWN MINI-BIKE OR THREE WHEELER.

COMPLETE KIT

Part no. RC230

Item	Part no.	Description	Quantity
1	RC231	HANDLEBAR R.H.	1
2	RC232	HANDLEBAR L.H.	1
3	RC233	FORK PLATE	2
4	RC234	UPPER BRACKET	2
5	RC235	LOWER BRACKET	2
6	RC236	STRUT	2
7	RC237	5/16"-18x3/4" BOLT	4
8	RC238	5/16"-18 NUT	4





FOR THOSE WHO WANT TO SCRATCH BUILD A FORK OR MAKE UP THEIR OWN STYLE, HERE IS THE COMPLETE KIT THAT INCLUDES ALL THE BASIC PARTS TO ASSEMBLE YOUR OWN SPRINGER STYLE FORK OR CUSTOMIZE IT TO SUIT YOUR MINI-BIKE.

THIS IS THE SAME FORK THAT COMES ON ALL RUTTMAN CHOPPERS.



CHOPPER FRAME KIT

READY TO WELD


AVAILABLE IN KIT FORM OR AS SEPARATE PARTS.

COMPLETE KIT

Part no. RC239

				2)
Item	Part no.	Description	Quantity	<i>\(\)</i>
1	RC240	FRAME HALF	2	0
2	RC241	FORK NECK	1	
3	RC242	MOTOR PLATE	1	82
4	RC243	AXLE BRACKET R.H.	1	0) (
5	R C 244	AXLE BRACKET L.H.	abalo	
6	RC245	PIVOT BRACKET	2	
7	RC166	FOOT PEG BRACKET	2	
8	RC246	GAS TANK BRACKET	2	

FOOT PEG BRACKETS ARE FOR USE WITH FOOT PEG NO. RC165



THIS KIT LETS YOU BUILD YOUR OWN RUTTMAN CHOPPER STYLE FRAME. THESE PARTS MAY ALSO BE USED AS A BASIS FOR DESIGNING YOUR OWN CUSTOM FRAME. ALL PARTS ARE READY TO SET UP AND WELD.

CHOPPER SEAT FRAME/SISSY BAR KIT


AVAILABLE IN KIT FORM OR AS SEPARATE PARTS


READY TO WELD

COMPLETE KIT

RC247 Part no.

Item	Part no.	Description	Quantity	
1	RC248	SEAT FRAME	1	
2	RC249	SEAT BRACKET	2	
3	RC250	3/8"-16 BOLT	2	
4	RC245	PIVOT BRACKET	2	
5	RC251	CHROME TUBE PLUG	2	





BUILD YOUR OWN HEAVY DUTY SEAT FRAME/SISSY BAR. THIS IS THE SAME ONE THAT IS FOUND ON ALL RUTTMAN CHOPPERS. THIS KIT USES RUTTMAN CHOPPER SEAT NO. RC179 BUT MAY BE ALTERED TO TAKE A DIFFERENT SEAT OR ADAPTED TO FIT OTHER MINI-BIKES.




RUTTINA R

24732 Ford Road

blkes

Dearborn Hts., Michigan 48127

LIGHT KIT FOR 6 VOLT BATTERY



Item	Part no.	Description	Quantity
1	RC253	6 V. HEADLIGHT ASSEMBLY	1
2	RC254	MOUNTING BLOCK	i /
3	RC255	5/16" I.D. WASHER	2
4	RC256	5/16"-18x1 1/2" BOLT	1
5	RC257	5/16"-18 LOCKNUT	i
6	RC258	5/16" I.D. LOCKWASHER	i
7	RC237	5/16"-18x3/4" BOLT	1
8	RC260	6 V. TAIL LAMP ASSEMBLY	i
9	RC261	TAIL LAMP BRACKET	i
10	RC262	BRAKE SWITCH BRACKET	OM. 1
11	RC263	BRAKE SWITCH ASSEMBLY	i
12	RC264	STAMPED NUT	2
13	RC265	GROUND WIRE	d anside
14	RC266	1/4"-20 "U" BOLT	mar. Inches
15	RC267	1/4"-20 LOCKNUT	2

KIT FOR 4" WHEEL BIKES	Part no.	RC252-4	
KIT FOR 5" WHEEL BIKES	Part no.	RC252-5	
KIT FOR 6" WHEEL BIKES	Part no.	RC252-6	
KIT FOR SUSPENSION MODEL BIKES	Part no	RC252-5	





mjniblkes


Dearborn Hts., Michigan 48127

12 VOLT ALTERNATOR LIGHT KIT

ALTERNATOR LIGHT KIT WITH LICENSE PLATE BRACKET

CAN BE ADAPTED TO MOST MINI-BIKES HAVING A 12 VOLT ALTERNATOR SYSTEM

COMPLETE KIT



Item	Part no.	Description	Quantity
1	RC269	12 V. HEADLIGHT ASSEMBLY	0269 6
2	RC254	MOUNTING BLOCK	ss lg.
3	RC256	5/16"-18×1 1/2" BOLT	ssu opazo
4	RC255	5/16" I.D. WASHER	2
5	RC257	5/16"-18 LOCKNUT	czan oly
6	RC258	5/16" I.D. LOCKWASHER	1
7	R C 237	5/16"-18x3/4" BOLT	HE BELLY!
8	RC270	12 V. TAIL LAMP ASSEMBLY	18 TH W. "
9	RC271	TAIL LAMP/LICENSE BRACKET	IN THE PARTY OF



Dearborn Hts., Michigan 48127



ENGINE ASSEMBLIES

THESE REPLACEMENT ASSEMBLIES ARE THE SAME ENGINES THAT ARE USED AS ORIGINAL EQUIPMENT ON MOST OF THE POPULAR MINI-BIKES AND CAN ALSO REPLACE SOME OF THE OTHER BRAND ENGINE ASSEMBLIES.

SPECIFICATIONS

COOLING: Multi-bladed fan on flywheel pulls cool air through rotating screen forcing it over cooling fins on cylinder and head.

CRANKSHAFT: Arma steel, with integral counterweights.
MAIN BEARINGS: Aluminum alloy.
PISTON PIN: High finish hardened steel.
ROTATION: Counterclockwise (viewed from power take-off side).

CYLINDER AND CRANKCASE: Aluminum alloy die casting. Chromium plated aluminum alloy piston with one oil control and two compression rings. CYLINDER HEAD: Aluminum alloy extra deep cooling

CONNECTING ROD: I-beam design. Aluminum alloy

with large bearing area.
VALVES: Heat treated alloy steel intake; austenitic steel

exhaust.
VALVE SEATS: One piece iron alloy insert cast integrally into cylinder.
VALVE LETTERS: Precision machined and heat treated.
VALVE LETTERS: Precision machined and heat treated.

STARTER: Positive rewind, dust sealed self-lubricating. Large easy grip, rubber handle.

NET WEIGHT: Approximately 23 pounds.

FUEL SYSTEM: AIR CLEANER: Replaceable, extra fine filtration, non-bypassable pleated paper element. Dust and water shield air cleaner cover.

car cleaner cover.

CARBURETOR: Float bowl, idle and high speed adjustment, manual choke, mini-bike cable throttle control,

remote stop.
FUEL TANK: Durable rust proof 2 quart capacity with


COMPRESSION RÉLEASE: Relieves compression during starting cycle for easier engine cranking.

IGNITION: High tension magneto system. Dust and mois-ture proof with extra large surface ignition breaker points. Insulated protective rubber spark plug boot. LUBRICATION: Splash system — crankcase oil capacity 21 ounces.

MUFFLER: Tubular directional muffler exhausts noise and heat away from driver on carburetor side.

PAINT: Attractive, long lasting baked enamel. Metal chemically cleaned and treated for permanent bonding. Color white.

DESIGNED FOR MINI-BIKE APPLICATIONS



3.0h.p.

Bore -2-5/16"; Stroke - 1-27/32" Displacement -7.75 cu. in. Type - 4 Cycle, L-Head **Horizontal Crankshaft** Single Cylinder

> **RANGE IN HORSEPOWER** 1.78 H.P. @ 2400 R.P.M. 2.22 H.P. @ 2800 R.P.M. 2.65 H.P. @ 3200 R.P.M. 3.00 H.P. @ 3600 R.P.M.

3.5 h.p.

Bore - 2-1/2": Stroke - 1-27/32" Displacement - 9.06 cu. in. Type - 4 Cycle, L-Head **Horizontal Crankshaft** Single Cylinder

> **RANGE IN HORSEPOWER** 2.27 H.P. @ 2400 R.P.M. 2.72 H.P. @ 2800 R.P.M. 3.15 H.P. @ 3200 R.P.M. 3.50 H.P. @ 3600 R.P.M.

Bore - 2-5/8"; Stroke - 1-15/16" Displacement - 10.5 cu. in. Type - 4 Cycle, L-Head **Horizontal Crankshaft** Single Cylinder

> RANGE IN HORSEPOWER 2.66 H.P. @ 2400 R.P.M. 3.20 H.P. @ 2800 R.P.M. 3.64 H.P. @ 3200 R.P.M. 4.00 H.P. @ 3600 R.P.M.

3 H.P. engine complete and ready to run. Just add oil and gas. Includes air cleaner, muffler, clutch and clutch guard. Engine available with or without gas tank.

Engine with tank

Part no. RC272T

Engine without tank

Part no. RC272

3 1/2" H.P. engine comes complete and ready to mount with air cleaner, muffler, clutch and clutch guard. Just add oil and gas and its ready to go. Engine available with or without gas tank.

Engine with tank

RC273T Part no.

Engine without tank

Part no. RC273

4 H.P. engine complete and ready to mount includes air cleaner, muffler, clutch and clutch guard. Just add oil and gas and its ready to go. Engine available with or without gas tank.

Engine with tank

RC274T Part no.

Engine without tank

Part no. RC274 All engines are warranted by the manufacturer

WARRANTY

The Lauson-Power Products Engine Divisions of Tecumseh Products Company (Manufacturer) will, at its option, replace or repair WITHOUT CHARGE to the original purchaser any part or parts manufactured by it and found upon examination by any Manufacturer's Authorized Service Gutlet or at the Manufacturer's Factory at Grafton, Wisconsin, to be DEFECTIVE IN MATERIAL AND/OR WORKMANSHIP if received for such examination, (i) in the case of engines for use on chain save within thirty (30) days, (iii) in the case of engines used on two wheeled riding type whicles (such as mini-bikes, and because of the case of engines used on two wheeled riding type whicles (such as mini-bikes, and because of the case of engines used on two wheeled riding type whicles (such as mini-bikes, and because of the case of the case of engines used to power any whicles used in competitive racing or on commercial and/or rental tracks are not warranted in uny respect; (iii) in all other cases within ONE YEAR, from date of original purchase.

All transportation charges on, and damages and loss incurred in connection with the transportation of, parts submitted for replacement or repair under this Warranty shall be borne by the purchaser.


This warranty shall not apply to any engine or part which shall have been repaired or altered in any way by persons other than Maunfacturer's Authorized Service Personnel, nor shall this warranty apply to any damage resulting from accident, alteration, misuse or abuse, nor shall this warranty apply to any damage resulting from failure to follow the Manufacturer's instructions for operation and maintenance of engines and parts.

engines and parts.

"The foregoing warranty IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED, IMPLIED OR STATUTORY (INCLUDING, BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY AND FITNESS FOR PURPOSE) and of any other obligations and/or liabilities on the part of Manufacturer and Manufacturer neither assumes nor authorizes any other person, natural or corporate, to any other person, with or with respect to any engine or parts. The Manufacturer shall in no event be liable for any consequential, incidental or special damages nor for the improper selection of an engine or part for a particular application."



FUELER STYLE CHOPPER GAS TANK



2 Quart steel tank, 4 1/2" O.D. and 7" long


CHROMED TANK

RC275 Part no.

UNCHROMED TANK

Part no. RC276

STAINLESS STEEL CHOPPER TANK STRAPS



Straps expand from 2 5/8" to 4 5/8"

Part no. RC277


CLEAR FUEL LINE




1/4" I.D. and 3/8" O.D. Vinyl tubing

Part no. RC278

CYCLE STYLE TANK





This unit, complete with automotive type twist cap, has the most recent "sculptured" look. Its overall teardrop shape is 12" long, just enough to fit many popular mini-bikes. It is baffled in its design and has ample mounting facilities. It will hold 4 1/2 quarts, plenty for miles and miles of riding.

UNPAINTED TANK ONLY

Part no. RC279

FUEL FITTING



Metal fitting with 3/8" standard pipe thread for use with 1/4" I.D. fuel line.

Part no.

RC280

TECUMSEH METAL GAS TANKS




Two quart capacity replacement tanks



MAX-TORQUE'S NEW 6 SHOE THE CLUTCH THAT MAKES ALL OTHERS OBSOLETE

This amazing break-through in power transmission technology makes the Max-Torque 6 shoe clutch the most efficient, longest lasting, coolest running, fool-proof clutch ever made. The unique air-gap construction isolates the bearing from heat producing areas so that the bearing runs cooler, runs longer.



Item	5/8" Bore part no.	3/4" Bore part no.	Description	Quantity
1	RC284	RC298	SNAP RING	1
2	RC285	RC299	DRIVE SPROCKET	armed the second of
3	RC286	RC300	BEARING	1
4	RC287	RC301	DRUM	
5	RC288	RC302	SNAP RING	
6	RC289	RC303	WASHER	
7	RC290	RC290	SNAP RING	
8	RC291	RC291	RETAINER PLATE	
9	RC292	RC292	SPRING	1
10	RC293	RC293	SHOE	6
11	RC294	RC294	BACKING PLATE	1
12	RC295	RC304	HUB ASSEMBLY	exit and 4
13	RC296	RC305	LOCKING COLLAR	1
14	RC297	RC297	SET SCREW	1



COMPLETE 5/8" BORE CLUTCH ASSEMBLY

Part no. RC282

RC283

Part no.


COMPLETE 3/4" BORE CLUTCH ASSEMBLY



The most desired Mini-Bike accessory,

KIK-STAR

hegar@products



Hegar's fabulous KIK-START, bolts on in minutes. Makes any mini look and start like a motorcycle. Heavy duty construction, chrome all steel splined shaft, folding kick peg make for an accessory that's as durable as it is functional. The all new and improved KIK-START will fit most Tecumseh engines. Mounting bolts and nuts included.


Complete unit - ready to install

Part no. RC306

KWIK-KICK

FROM





Now it's easier to start your "Mini-Bike" with this all new, low profile Fairbanks Morse KWIK-KICK Starter. It's a compact and reliable starting unit engineered to meet the exacting demands of "Mini-Bike" buffs everywhere for better engine starting. Designed to fit "Mini-Bike" engines up to 6 H.P. with a bolt mounting circle of 5 9/16" diameter. Performance proved starting mechanism, hardened alloy gears plus a forged steel crank arm insures long, low cost service life.





Dearborn Hts., Michigan 48127











E



F

B

TIRES & TUBES

Style	Tread	Size	Ply	O.D.	Width	Tire no.	Tube no.
Α	STUD	4.10/3.50-4	2	10.4"	3.8"	RC308	RC320
		10.5/4.50-4	2	10.9"	4.5"	RC309	RC320
В	KNOBBY	4.00-6	2	14.0"	4.0"	RC310	RC321
C	UNIVERSAL	4.10/3.50-5	2	11.5"	3.8"	RC311	RC322
		4.10/3.50-6	2	12.5"	4.1"	RC312	RC321
D	TURF SAVER	15×6.00-6	2	14.9"	5.9"	RC313	RC323
E	SLICK	3.40/3.00-5	2	10.5"	2.5"	RC314	RC322
		3.40/3.00-5	2	10.5"	3.5"	RC315	RC322
		4.10/3.50-5	2	11.5"	3.5"	RC316	RC322
		4.10/3.50-5	2	11.5"	4.2"	RC317	RC322
		4.10/3.50-6	2	12.5"	3.5"	RC318	RC321
F	A.T.V.	21×12-8	2	20.5"	12.0"	RC319	tubeless


15×6.00-6 WIDE, HEAVY DUTY TUBELESS TIRE ON RIM

ASSEMBLY COMES READY TO INSTALL AND INCLUDES TIRE, RIM AND 13/8" O.D. WHEEL BEARINGS FOR USE WITH 5/8" DIAMETER AXLES.

COMPLETE UNIT

Part no. RC324

COMPLETE UNIT with attached 60 tooth sprocket






RUTTMAN BIRES


hone: 313 - 278-5093

Dearborn Hts., Michigan 48127

4" WHEEL



Heavy duty stamped steel wheel uses 1 3/8" O.D. wheel bearings. Wheel halves come with wheel bearings for 5/8" axles.



ltem	Part no.	Description
1	RC328	Wheel half with bearing
2	RC329	3/8"-24×1/2" Bolt
3	RC330	3/8"-24 Nut
4	RC331	2 1/2" Spacer
5	RC121	60 Tooth sprocket
6	RC332	3/8"-24x3 1/2" Bolt

COMPLETE FRONT WHEEL KIT Part no. RC326


COMPLETE REAR WHEEL KIT


COMPLETE REAR WHEEL KIT

Part no. RC327

6" WHEEL

Spoke type polished aluminum mag wheel uses 1 3/8" O.D. wheel bearings.






ltem	Part no.	Description
1	RC342	Wheel half
2	RC343	Sprocket half of wheel
3	RC337	5/16"-18 Nut
4	RC256	5/16"-18x1 1/2" Bolt
5	RC346	1/4"-20×1/2" Bolt
6	RC116	70 Tooth sprocket

COMPLETE FRONT WHEEL KIT
Part no. RC340

COMPLETE REAR WHEEL KIT

Part no. RC341




Part no.

Part no.

RC333

RC334

Ribbed, mag type polished aluminum wheel uses 1 3/8" O.D. wheel bearings.



Item	Part no.	Description 3½
1	RC335	Wheel half
2	RC237	5/16"-18x3/4" Bolt
3	RC337	5/16"-18 Nut
4	RC338	2 3/8" Spacer
5	RC339	5/16"-18x3 1/2" Bolt
6	RC121	60 Tooth sprocket





Dearborn Hts., Michigan 48127

THE PRICES LISTED IN THIS CATALOG ARE SUGGESTED RETAIL PRICES. DUE TO SHIPPING EXPENSES INCURRED BY DEALERS, THE ACTUAL SELLING PRICE OF SOME PRODUCTS MAY BE SLIGHTLY HIGHER THAN THE SUGGESTED RETAIL PRICE SHOWN IN THIS CATALOG.

RETAIL PRICE LIST

Part no.	Price each	Part no.	Price each	Part no.	Price each
RC101	\$ 1.20 ft.	RC145	\$ 3.69	RC189	\$ 3.49
RC102	2.10 ft.	RC146	3.95	RC190	1.69
RC103	1.20 ft.	RC147	1.09	RC191	6.49
RC104	.50	RC148	1.19	RC192	4.98
RC105	.25	RC149	1.69	RC193	1.35
RC106	.26	RC150	.25	RC194	14.95
RC107	. 25	RC151	.15	RC195	2.95
RC108	.50	RC152	2.29 set	RC196	3.95
RC109	.50	RC153	2.19	RC197	8.50
RC110	.50	RC154	.29	RC198	8.50
RCIII	.35	RC155	2.95 set	RC199	19.00
RC112	. 35	RC156	2.79	RC200	19.00
RC113	. 35	RC157	.39	RC201	27.50
RC114	3.95	RC158	2.95 set	RC202	3.75
RC115	. 25	RC159	2.79	RC203	3.75
RC116	3.95	RC160	.39	RC204	2.49
RC117	3.95	RC161	1.09	RC205	.15
RC118	3.95	RC162	1.19	RC206	.10
RC119	3.95	RC163	7.95 pr.	RC207	17.95 kit
RC120	3.95	RC164	.98 kit	RC208	19.95 kit
RC121	2.95	RC165	.49	RC209	11.95
RC122	1.70	RC166	.49	RC210	13.95
RC123	1.70	RC167	.15	RC211	9.95 kit
RC124	2.00	RC168	.15	RC212	1.75
RC125	2.10	RC169	7.95	RC213	.15
RC126	2.25	RC170	1.95	RC214	2.95
RC127	2.60	RC171	1.95	RC215	.35
RC128	2.90	RC172	1.75	RC216	1.09
RC129	3.10	RC173	2.50	RC217	.15
RC130	3.20	RC174	2.50	RC218	.39
RC131	3.60	RC175	3.50	RC219	1.95
RC132	3.80	RC176	5.95	RC220	1.75
RC133	3.10	RC177	6.95	RC221	.15
RC134	3.20	RC178	9.95	RC222	12.95 kit
RC135	3.40	RC179	13.95	RC223	12.75
RC136	3.60	RC180	.99	RC224	.24
RC137	3.70	RC181	1.49	RC225	32.50
RC138	4.00	RC182	1.39	RC226	27.50
RC139	4.30	RC183	.20	RC227	25.95
RC140	4.60	RC184	.99	RC228	10.95
RC141	4.90	RC185	.99	RC229	7.95
RC142	5.40	RC186	.35	RC230	24.50 kit
RC143	6.00	RC187	.15	RC231	6.50
RC144	1.95	RC188	.09	RC232	6.50

Part no.	Price each	Part no.	Price each	Part no.	Price each
RC233	\$ 1.50	RC282	\$ 16.00	RC336	\$ 3.95
RC234	.95	RC283	16.00	RC337	.10
RC235	.25	RC284	.25	RC338	.30
RC236	3.50	RC285	3.75	RC339	. 15
RC237	.15	RC286	.75	RC340	9.95 kit
RC238	.15	RC287	3.50	RC341	13.38 kit
RC239	22.95 kit	RC288	.75	RC342	4.95
RC240	7.95	RC289	.10	RC343	5.49
RC241	1.50	RC290	.50	RC344	2.95
RC242	2.95	RC291	1.50	RC346	.08
RC243	.95	RC292	1.00	RC350	.69 pr.
RC244	.95	RC293	5.00 set	RC351	.69 pr.
RC245	.25	RC294	1.50		00.
RC246	.25	RC295	2.75	1.20 ft.	
RC247	8.95 kit	RC296	.40	.50	
RC248	7.95	RC297	.10	2.5	
RC249	.49	RC298	.25	1,000	
RC250	.25	RC299	3.75		
RC251	.15	RC300	.75	1 034	
RC251-4		RC301	3.50	08.	
RC252-4		RC302	.75	02	
RC252-6		RC302	.10	F 3E.	
		RC304	2.75		
RC252-S		RC305	.40	.35	
RC253	8.95		19.95	3,95	
RC254	.95	RC306		25	
RC255	.06	RC307	15.95	20,000	
RC256	.15	RC308	6.50	II O D NING TA	ROTTEGA
RC257	.10	RC309	7.50	HORNY TO	
RC258	.05	RC310	8.50	Model 140	\$99.95
RC260	3.40	RC311	7.50		
RC261	1.49	RC312	8.50	VULTURE	/ 100
RC262	.49	RC313	14.95	Model 240	\$124.95
RC263	1.95	RC314	8.90	1.70	RC123
RC264	.25	RC315	9.20	WILD GO	
RC265	.25	RC316	9.95	Model 250	\$139.95
RC266	1.49	RC317	11.95	A REAR LLC C X	
RC267	.25	RC318	10.95	SPYDER	Tallou.
RC268	17.95 kit	RC319	21.95	Model 256S	\$179.95
RC269	10.95	RC320	2.00	3.10	
RC270	3.40	RC321	2.15	GRASSHOF	
RC271	.55	RC322	2.15	Model 260	\$209.95
RC272T	55.00	RC323	2.50	1 198 E 68 E	
RC272	53.95	RC324	31.80	PAK MULE	20132
RC273T	60.00	RC325	35.75	Model 660	\$219.95
RC273	58.95	RC326	4.95 kit	3.40	
RC274T	65.00	RC327	9.70 kit	PAK MULE	12131
RC274	63.95	RC328	2.50	Model 660VS	\$244.95
RC275	7.95	RC329	. 15	100.4	00120
RC276	6.95	RC330	.10	HOGE NOT	
RC277	.95	RC331	.30		
RC278	.20 ft.	RC332	.15	1 3/16 - 13 75 11	16108
RC279	12.95	RC333	5.95 kit	NOTICE: All	
RC280	.30	RC334	10.70 kit	catalog are F.	
RC281	3.95	RC335	3.00	Heights, Mich	igan.

•

1971 Ruttman Catalog Scanned 3-2018 by cfh